

DECLARATION OF CONFORMITY

West ProVU4 Series Controller PMA Pro96-1 Series Controller CAL4600 Series Controller West Pro-EC44 Series Controller (And corresponding branded products)

This product is manufactured at the premises of West Control Solutions, The Hyde Business Park, Brighton, East Sussex, BN2 4JU, England, UK

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The objects of this declaration are the products identified using the model numbers derived from the tables listed below.

The objects of this declaration are in conformity with the following European Union harmonisation legislation:

2014/30/EU Electromagnetic Compatibility

2014/35/EU Low Voltage Directive

2011/65/EU Restriction of Hazardous Substances in Electrical and Electronic Equipment

The assessment of conformity has been made using the standards route to compliance. The standards this product is compliant with are listed below: -

EN 61326-1:2013 Electrical equipment for measurement, control and laboratory use — EMC Requirements — Part 1: General Requirements

**FCC Title 47 Chapter 1A Part 15B RADIO FREQUENCY DEVICES
FCC Title 47 Chapter 1A Part 18 INDUSTRIAL, SCIENTIFIC, AND MEDICAL EQUIPMENT
EN55011:2009 + A1:2010 Industrial, scientific and medical equipment – Radio Frequency disturbance characteristics – Limits and methods of measurement**

This product has been evaluated as Class A equipment suitable for operation in Industrial Locations against this standard.

WARNING

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

UL 61010-1 Edition 3, Safety requirements for electrical equipment for measurement, control and laboratory use; Part 1: General Requirements

EN50581:2012, Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances.

This declaration is made for and on behalf of Fortive by Paul Barber, who has been designated as the responsible person for the purpose of the regulations.

Signature:



(Paul Barber)

Date of Issue:

25 February 2020



West Control Solutions
The Hyde Business Park,
Brighton BN2 4JU, UK

Web: www.west-cs.com
e-mail: info@west-cs.com
Tel: +44 (0) 1273 606271
Fax: +44 (0) 1273 609990

Model Number (ProVU4):	V4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Regional Default																	
West Non-US defaults		0															
West USA defaults		1															
PMA (Pro96-1)		3															
CAL		6															
Blank		B															
No overlay		N															
Omega		4															
Unit Type																	
Grphical Controller				C													
Graphical Controller, Datalogger/RTC				D													
Graphical Controller with USB Port				U													
Controller /Recorder with USB Port				R													
Profiler																	
Not fitted					O												
Profiler					P												
Power Supply																	
100-240V AC					0												
24-48V AC or DC					2												
Option Slot 1																	
Not fitted						0											
Relay Output						1											
DC Drive Output for SSR						2											
Linear DC Output						L											
Triac Output						8											
Option Slot 2																	
Not fitted							0										
Relay Output							1										
DC Drive Output for SSR							2										
Linear DC Output							L										
Triac Output							8										
Dual relay Output							9										
Dual SSR Driver Output							S										
24VDC Transmitter Power Supply							T										
Option Slot 3																	
Not fitted								0									
Relay Output								1									
DC Drive Output for SSR								2									
Linear DC Output								L									
Triac Output								8									

Model Number	EC440	x	x	x	x	x	x	x	x	x	x	x	x	x	1
Unit Type															
Controller		C													
Controller with USB Port		U													
Controller/ Recorder		X													
Controller /Recorder with USB Port		R													
Profiler															
Not fitted			0												
Profiler			P												
Power Supply															
100-240V AC			0												
24-48V AC or DC			2												
Control Loops															
One Control Loop				1											
One Loop + Auxiliary Input				A											
Two Control Loops				2											
Base Option 1															
Relay Output				1											
Relay Output + Linear DC Output				M											
Base Option 2															
Not fitted					0										
Relay Output + Linear DC Output					M										
Plug-in Module Slot 1															
Not fitted								0							
Relay Output								1							
DC Drive Output for SSR								2							
Linear DC Output								L							
Triac Output								8							
Plug-in Module Slot 2															
Not fitted								0							
Relay Output								1							
DC Drive Output for SSR								2							
Triac Output								8							
Dual relay Output								9							
Dual SSR Driver Output								Y							
24VDC Transmitter Power Supply								T							
Plug-in Module Slot 3															
Not fitted										0					

